

Name (Print) \_\_\_\_\_ Date \_\_\_\_\_

Grand Rounds Enduring Materials  
Hypospadias: What the Primary Care Physician Should Know

Please select the best answer:

1. The prevalence of hypospadias is increasing. All of the following are reasons for this **EXCEPT**:
  - a. Increased reporting of mild forms
  - b. Better fertility treatment
  - c. Better surgical treatment of hypospadias allowing genes to be transmitted
  - d. Increased use of oral contraceptives
  
2. Which of the following factors are **TRUE** in the evaluation of the child with hypospadias?
  - a. Mild hypospadias – no specific evaluation
  - b. Severe hypospadias – consider underlying endocrine abnormality
  - c. Renal ultrasound needed for all cases
  - d. If one or both testes are nonpalpable consider intersex state
  
3. All of the following are involved in the classification of hypospadias, **EXCEPT**:
  - a. Incomplete foreskin
  - b. Location of urethral meatus
  - c. Assessment of penile diameter
  - d. Presence of testes
  
4. What percentage of hypospadias cases has a family history of this condition?
  - a. 10 – 15%
  - b. 20 – 25%
  - c. 30 – 35%
  - d. 40 – 45%
  
5. All of the following are common goals for the surgical correction of hypospadias, **EXCEPT**:
  - a. Maintain some penile curvature
  - b. Relocate urethral meatus to tip of glans
  - c. Cosmetic penile skin coverage
  - d. Repair scrotal anatomy

In order to receive CME credit, please complete the program evaluation and the questions.

These can be emailed to Linda Carpenter at:

LCarpenter@svhs.org

or faxed to 814-452-7131

or mailed to:

Linda Carpenter  
CME Coordinator  
Saint Vincent Health Center  
232 West 25 Street  
Erie, PA 16544

If you have any questions, please contact Linda Carpenter at 814-452-5717.

Thank you

SAINT VINCENT HEALTH CENTER  
CME DEPARTMENT