

Name (Print) _____ Date _____

Grand Rounds Enduring Materials
Evaluation of a Limp or Abnormal Gait in Children & Adolescents

Please select the best answer:

1. Which portion of the bone is the most common origin of osteomyelitis in children?
 - a. Diaphysis
 - b. Epiphysis
 - c. Metaphysis
 - d. Physis

2. Which organism is the most common cause of a septic joint?
 - a. Group B streptococci
 - b. Haemophilus influenzae
 - c. Pseudomonas aeruginosa
 - d. Staphylococcus aureus

3. Developmental dysplasia of the hip has several risk factors; which of the following is one of them?
 - a. Latino race
 - b. Boys
 - c. Breech presentation at birth
 - d. 2nd born child

4. What does the Galeazzi sign show?
 - a. Asymmetric hip abduction
 - b. Unequal knee heights
 - c. Asymmetric thigh/gluteal folds
 - d. Dislocatable hip

5. A child presents with no fever, is non-weight-bearing and has labs with an ESR of 60 and a WBC > 20,000 mm³. According to the Kocher criteria, what is this patient's chance of having a septic joint?
 - a. 99%
 - b. 93%
 - c. 40%
 - d. 3%

In order to receive CME credit, please complete the program evaluation and the questions.

These can be emailed to Linda Carpenter at:

LCarpenter@svhs.org

or faxed to 814-452-7131

or mailed to:

Linda Carpenter
CME Coordinator
Saint Vincent Health Center
232 West 25 Street
Erie, PA 16544

If you have any questions, please contact Linda Carpenter at 814-452-5717.

Thank you

SAINT VINCENT HEALTH CENTER
CME DEPARTMENT